



INTERNATIONAL STANDARD ISO/TS 29041:2008
TECHNICAL CORRIGENDUM 1

Published 2009-02-01

INTERNATIONAL ORGANIZATION FOR STANDARDIZATION • МЕЖДУНАРОДНАЯ ОРГАНИЗАЦИЯ ПО СТАНДАРТИЗАЦИИ • ORGANISATION INTERNATIONALE DE NORMALISATION

Gas mixtures — Gravimetric preparation — Mastering correlations in composition

TECHNICAL CORRIGENDUM 1

Mélanges de gaz — Préparation gravimétrique — Maîtrise des corrélations en composition

RECTIFICATIF TECHNIQUE 1

Technical Corrigendum 1 to ISO/TS 29041:2008 was prepared by Technical Committee ISO/TC 158, *Analysis of gases*.

Page 10, Table 8

Replace the upper case *U* in the header of the last column with a lower case *u* to give the following.

Table 8 — Calorific value and molar mass of the gas mixture

Value [unit ^a]	Value	<i>u</i>(value) correlation	<i>u</i>(value) without correlation
CV on a molar basis [kJ/mol]	990,503 8	0,016 7	0,025 3
CV on mass basis [MJ/kg]	51,048 0	0,000 6	0,001 3
CV on volume basis [MJ/m ³]	41,890 2	0,000 7	0,001 1
Molar mass [kg/mol]	19,403 4	0,000 4	0,000 6

^a kJ/mol = 10³ kg·m²·mol⁻¹·s⁻²; MJ/kg = 10⁶ m²·mol⁻¹·s⁻²; MJ/m³ = 10⁶ kg·m⁻¹·mol⁻¹·s⁻².

Pour plus d'infos, merci de nous contacter.

Association Sénégalaise de Normalisation

4 Avenue Jean Jaurès, Immeuble El Hadj Omar DIA, 6 ème Etage
Dakar - SENEGAL

Tel: +221 33 829 58 25

Email: asn@asn.sn